

# LIBERTI®

L A D D E R S

climb  
safely  
smartly



Safe steps are the best steps

**ISO9001:2008  
CERTIFIED**



Our ladders come  
in a range of load  
bearing capacities.





# Safe steps are the best steps

Discover an exhaustive range of commercial and domestic ladders. All of them conforming to European standards and have the ANSI, OSHA adherence. Unique safety features built into the foot grip, the step and the hinges come in tandem with unique designs to improve utility with functionality. Ladders with an extra step, storage for tools and paints are just some of the examples of Sagar Asia's international engineering. Our ladders come in a range of load bearing capacities. Some select heights are available in fibre glass, apart from the choice in aluminium. Examine the range. Take the best step towards safety with choice.

- Easy to store and get out for usage
- Sturdy and compact
- Single, step and multipurpose ladders
- Smartly ergonomic
- Easy to carry



**1000 Series**  
200 lbs. Type III  
Aluminium Step Stool



**1100 Series**  
200 lbs. Type III  
Aluminium Step Ladder



**1200 Series**  
225 lbs Type II  
Aluminium Step Ladder



**9900 Series**  
200 lbs Type III  
Aluminium Platform Ladder



**2000**  
300lbs Type IA  
Aluminium Flip-up Ladder



**1400 Series**  
300 lbs Type I A  
Aluminium Step Ladder



**P 1400 Series**  
300 lbs Type I A  
Aluminium Step Ladder



**T 1400 Series**  
375 lbs Type I A  
Aluminium 2-way Step Ladder



**1500 Series**  
375lbs Type IAA/IA  
Aluminium Step Ladder



**P1500 Series**  
375lbs Type IAA/A  
Aluminium Platform Ladder



**T1500 Series**  
375lbs Type IAA/IA  
Aluminium 2-way Step Ladder



**FRP5400 Series**  
300lbs Type 1A  
Fiberglass Step Ladder



**FRP P5400 Series**  
300lbs Type 1A  
Fiberglass Platform Ladder



**FRP T5400 Series**  
300lbs Type 1A  
Fiberglass 2-way Ladder

# 1000

## Series

200 lbs. Type III  
Aluminium Step Stool


**LIBERTI**<sup>®</sup>  
L A D D E R S

Ideal For Chores  
Around The House

- Aluminium spreaders for easy opening and folding
- Serrated slip resistant feet
- Outside pinch-proof spreader arms
- Slip resistant steps
- Aluminium extruded anti skid top
- Available in size of 2'



climb  
safely  
smartly



SPECIFICATIONS											Approx.
Model No.	Size		Width		Spread		Highest Standing Level		Maximum Reach		
	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.	
1002	0.6	2	0.45	1.41	0.45	1.58	0.6	2	2.44	8	

# 1100

## Series

200 lbs. Type II

Aluminium Step Ladder

LIBERTI<sup>®</sup>  
L A D D E R S



## Light Weight Aluminium Ladder

- Strong yet light weight extruded side rails
- Molded co-polymer utility top for holding tools and paint accessories
- Wide 3" slip resistant serrated aluminium steps for safe climbing
- Out side pinch-proof spreader arms
- Slip resistant safety shoes
- Rugged zinc coated steel braces on steps for extra rigidity
- Available in sizes of 4', 5' &, 6'

1 Molded copolymer utility top for holding tools and paint accessories

2 Wide slip resistant traction-tread steps

3 Slip resistant safety shoes

4 Rugged zinc coated steel braces



SPECIFICATIONS											Approx.
Model No.	Size		Width		Spread		Highest Standing Level		Maximum Reach		
	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.	
1104	1.22	4	0.48	1.55	0.75	2.44	0.60	1.6"	2.2	8	
1105	1.52	5	0.51	1.67	0.92	3.00	0.91	2.6"	2.4	9	
1106	1.82	6	0.55	1.80	1.07	3.50	1.21	3.6"	2.7	10	

# 1200

## Series

225 lbs Type II

Aluminium Step Ladder

LIBERTI<sup>®</sup>  
L A D D E R S

Ideal for painting,  
carpentry and odd jobs



- Strong yet light-weight extruded side rails
- Molded co-polymer utility top for holding tools and paint accessories
- Fold down utility tray
- Wide 3" slip resistant serrated aluminium steps for safe climbing
- Out side pinch-proof spreader arms
- Slip resistant safety shoes
- Available in sizes of 4', 5', 6', 8' & 10'

1 Molded co-polymer utility top to hold tools and a hook to hang a bucket

2 Wide 3" slip resistant serrated aluminum steps for safe climbing

3 Slip resistant safety shoes

4 Fold down utility tray to hold paint accessories, toolbox etc

5 Rugged zinc coated steel braces



## SPECIFICATIONS

Approx.

Model No.	Size		Width		Spread		Highest Standing Level		Maximum Reach	
	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.
1204	1.22	4	0.48	1.55	0.75	2.44	0.60	2	2.43	8
1205	1.52	5	0.51	1.67	0.92	3.00	0.91	3	2.74	9
1206	1.82	6	0.55	1.80	1.07	3.50	1.21	4	3.04	10
1208*	2.44	8	0.64	2.12	1.40	4.60	1.70	6	3.53	12
1210*	3.05	10	0.23	2.60	1.80	5.90	2.30	8	4.03	14

1208\* & 1210\* conforms to type-I 250lbs

# 9900

## Series

200 lbs Type II

Aluminium Platform Ladder

LIBERTI<sup>®</sup>  
L A D D E R S



## Ideal For Chores Around The House

- 1" tubular construction, makes this ladder light weight and allows for compact storage
- Fold down utility tray for tools and paint accessories
- Platform provides a large, safe and comfortable standing area
- Slip resistant safety shoes
- Available in sizes of 4', 5' & 6'

climb  
safely  
smartly

Tubular construction, makes this ladder light weight and allows for compact storage

1

Aluminium fold down utility tray for tools and paint accessories

2

Large comfortable slip resistant platform

3

Rubber slip resistant safety feet

4



## SPECIFICATIONS

Approx

Model No.	Height of Platform		Width		Spread		Highest Standing Level		Maximum Reach	
	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.
9904	0.57	1.88	0.50	1.66	0.65	2.12	0.59	1.11"	2.42	8"
9905	0.85	2.79	0.55	1.79	0.85	2.79	0.89	2.90"	2.74	9"
9906	1.15	3.79	0.59	2.00	1.02	3.25	1.20	3.10"	3.00	10"

# 1400

## Series

300 lbs Type IA  
Aluminium Step Ladder

LIBERTI®  
L A D D E R S



## Heavy Duty Professional Use Step Ladder

- Strong yet light weight extruded side rails
- Molded co-polymer utility top for holding tools and paint accessories
- Heavy duty aluminium front rail
- Wide 3" slip resistant serrated aluminium steps for safe climbing
- Heavy duty slip resistant safety shoes
- Rugged zinc coated steel braces
- Available in sizes of 3', 4', 5', 6', 8' & 10'

Heavy duty moulded top

1

Steel braces on steps and rear horizontal struts providing unequalled rigidity

2

4

Heavy duty aluminum rail

Slip resistant safety shoes

3



## SPECIFICATIONS

Approx

Model No.	Size		Width		Spread		Highest Standing Level		Maximum Reach	
	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.
1403	0.91	3	0.45	1.47	0.60	1.97	0.30	1	2.13	7
1404	1.22	4	0.50	1.64	0.74	2.43	0.60	2	2.43	8
1405	1.53	5	0.55	1.80	0.88	2.88	0.90	3	2.70	9
1406	1.82	6	0.60	1.97	1.10	3.60	1.22	4	3.04	10
1408	2.43	8	0.70	2.30	1.40	4.60	1.82	6	3.65	12
1410	3.04	10	0.76	2.50	1.70	5.57	2.43	8	4.26	14

# P1400 Series

300 lbs Type I A  
Aluminium Step Ladder

LIBERTI®  
L A D D E R S

## Heavy Duty Aluminium Platform Step Ladder

- Large comfortable slip resistant platform
- Wide 3' slip resistant serrated aluminium steps for safe climbing
- Outside pinch-proof spreader arms
- Heavy duty slip resistant safety shoes
- Heavy duty aluminium front rail
- Rugged zinc coated braces
- Available in sizes of 3', 4', 6', 8' & 10'




1 Large comfortable slip resistant platform

2 Steel braces on steps and rear horizontal struts providing unequalled rigidity

3 Slip resistant safety shoes

4 Heavy duty aluminium rail



## SPECIFICATIONS

Approx.

Model No.	Size		Width		Spread		Highest Standing Level		Maximum Reach	
	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.
P1403	1.52	5	0.60	3	0.6	2.00	0.9	3	2.74	9
P1404	1.82	6	1.2	4	0.63	2.06	1.1	4	3.04	10
P1406	2.43	8	1.8	6	0.72	2.36	1.4	6	3.65	12
P1408	3.04	10	2.4	8	0.80	2.62	1.7	8	4.26	14
P1410	3.65	12	3.0	10	0.88	3.00	2.0	10	4.80	16

# T1400

Series  
375 lbs Type IA  
Aluminium 2-way Step Ladder



## Heavy Duty Aluminium 2-way Step Ladder

- Double front construction allows two climbers to access the ladders from opposite sides
- Wide aluminium top with extra-thick brackets for strength climbing
- Rugged zinc coated steel braces
- Outside pinch-proof spreader arms
- Heavy duty slip resistant safety shoes
- Available in sizes of 4', 6', 8' & 10'

Wide aluminium top

1

Outside pinch-proof  
spreader arms

2

Slip resistant safety  
shoes

3

4

Heavy duty  
aluminium rail



## SPECIFICATIONS

Approx.

Model No.	Size		Width		Spread		Maximum Reach	
	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.
T1404	1.22	4	0.55	1.8	0.90	3.0	2.43	8
T1406	1.82	6	0.62	2.0	1.28	4.2	3.04	10
T1408	2.43	8	0.72	2.4	1.62	5.3	3.65	12
T1410	3.04	10	0.80	2.6	1.98	6.5	4.26	14

# 1500

## Series

375 lbs Type IAA/IA  
Aluminium Step Ladder

**LIBERTI**<sup>®</sup>  
L A D D E R S

### Extra Heavy Duty Step Ladder



- Super tough co-polymer top for strength and durability
- Wide 3½" slip resistant serrated aluminium steps for safe climbing
- Rugged zinc coated steel braces
- Heavy duty slip resistant safety shoes
- Strong wide extruded side rails
- Available in sizes of 4', 5', 6', 8', 10', 12, 14' & 16

Heavy duty co-polymer top **1**

Steel braces on steps and rear horizontal struts providing unequalled rigidity **2**

Slip resistant safety shoes **3**

**4** Extra heavy duty aluminium rail



## SPECIFICATIONS

Approx

Model No.	Size		Width		Spread		Highest Standing Level		Maximum Reach	
	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.
1504	1.22	4	0.53	1.74	0.76	2.50	0.6	2	2.43	8
1506	1.82	6	0.62	2.03	1.08	3.54	1.22	4	3.04	10
1508	2.43	8	0.71	2.33	1.39	4.56	1.82	6	3.65	12
1510	3.04	10	0.80	2.62	1.70	5.58	2.43	8	4.26	14
1512	3.65	12	0.90	3.00	2.00	6.60	3.04	10	4.87	16
1514	4.26	14	0.97	3.20	2.33	7.64	3.65	12	5.48	18
1516	4.87	16	1.06	3.50	2.64	8.66	4.26	14	6.09	20

# P1500 Series

375 lbs Type I AA/A  
Aluminium Platform Ladder

LIBERTI®  
L A D D E R S

## Extra-Heavy Duty Aluminium Platform Ladder

- Large comfortable slip resistant platform
- Wide 3½" slip resistant serrated aluminium steps for safe climbing
- Outside pinch-proof spreader arms
- Heavy duty slip resistant safety shoes
- Heavy duty aluminium front rail
- Rugged zinc coated braces
- Available in sizes of 4', 6', 8', 10', 12' & 14'



1 Large comfortable slip resistant platform

2 Steel braces on steps and rear horizontal struts providing unequalled rigidity

3 Slip resistant safety shoes

4 Extra heavy duty aluminium rail



## SPECIFICATIONS

Approx

Model No.	Size		Width		Spread		Highest Standing Level		Maximum Reach	
	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.
P1504	1.82	6	0.62	2.03	1.08	3.54	1.22	4	3.04	10
P1506	2.43	8	0.71	2.33	1.40	4.60	1.82	6	3.65	12
P1508	3.04	10	0.80	2.65	1.70	5.57	2.43	8	3.26	14
P1510	3.65	12	0.90	3.00	2.00	6.56	3.04	10	4.87	16
P1512	4.26	14	0.98	3.21	2.34	7.67	3.65	12	5.48	18
P1514	4.87	16	1.07	3.50	2.64	8.66	3.65	14	6.09	20

# T1500

## Series

375 lbs Type IAA/A  
Aluminium 2-way Step Ladder

LIBERTI<sup>®</sup>  
L A D D E R S

## Extra Heavy Duty 2-way Aluminium Step Ladder

- Wide 3½" Slip resistant serrated aluminium steps for safe climbing
- Double front construction allows two climbers to access the ladder from opposite sides
- Wide aluminium top with extra-thick brackets for strength and durability
- Rugged zinc coated steel braces
- Outside pinch proof spreader arms
- Heavy duty slip resistant safety shoes
- Available in sizes of 4', 6', 8', 10' & 12'



Wide aluminium top  
for strength and durability

1

Slip resistant safety  
shoes

2

3

Extra heavy duty  
aluminium rail



## SPECIFICATIONS

Approx

Model No.	Size		Width		Spread		Highest Standing Level		Maximum Reach	
	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.
T1504	1.22	4	0.53	1.74	0.92	3.00	0.60	2	2.43	8
T1506	1.82	6	0.62	2.03	1.278	4.16	1.22	4	3.04	10
T1508	2.43	8	0.71	2.33	1.63	5.35	1.82	6	3.65	12
T1510	3.04	10	0.80	2.62	1.98	6.5	2.43	8	4.20	14
T1512	3.65	12	0.90	3.00	2.34	7.68	3.04	10	4.87	16

# 2000

## Series

300 lbs Type I A  
Aluminium Flip-up Ladder

LIBERTI®  
L A D D E R S

### Heavy Duty Ladder For Professional Use

- Slip- resistant wall bumpers
- Solid hinge plates
- Slip resistant serrated extra wide steps
- Slotted tool top with hook lock
- Strong spreaders
- Extra step braces on bottom steps
- Clips store spreaders work neatly when used as extended ladder
- Slip-resistant safety shoes





## SPECIFICATIONS

Approx

Model No.	Size	Before Extension (ft.)	After Extension (ft.)	Standing Height (ft.)		Maximum Reach (ft.)	
				Self Supporting	Wall Reclining	Self Supporting	Wall Reclining
2003	3	3	5	1	2	7	7
2004	4	4	7	2	4	8	9
2005	5	5	9	3	6	9	11
2006	6	6	11	4	8	10	13
2007	7	7	13	5	10	11	15
2008	8	8	15	6	12	12	17
2010	10	10	19	8	16	14	21

# FRP5400

## Series

300 lbs Type IA

Fiberglass Step Ladder

**LIBERTI**<sup>®</sup>  
L A D D E R S

## Heavy Duty Fiberglass Step Ladder

- Durable non-conductive “C” channel side rails in high visibility safety yellow
- Super tough co-polymer top for strength and durability
- Wide 3” step resistant serrated aluminum steps for safe climbing
- Reinforced with zinc coated steel diagonal braces on the front of every other step providing extra rigidity
- Available in sizes of 4’, 5’, 6’, 8’ & 10’



Super tough  
co-polymer top

1


Slip resistant safety  
shoes

3

2

J-spreader with  
hand grip for  
easy one-handed  
carry & close

4



## SPECIFICATIONS

Approx

Model No.	Size		Width		Spread		Highest Standing Level		Maximum Reach	
	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.
5404	1.22	4	0.53	1.74	0.76	2.5	0.6	2	2.43	8
5406	1.82	6	0.62	2.03	1.08	3.54	1.22	4	3.04	10
5408	2.43	8	0.71	2.33	1.39	4.56	1.82	6	3.65	12
5410	3.04	10	0.80	2.62	1.70	5.58	2.43	8	4.26	14
5412	3.65	12	0.90	3.00	2.00	6.60	3.04	10	4.87	16
5414	4.26	14	0.97	3.20	2.33	7.64	3.65	12	5.48	18

# FRPP5400

## Series

300 lbs Type IA  
Fiberglass Platform Ladder

LIBERTI®  
L A D D E R S

## Extra Heavy Duty Fiberglass Platform Ladder

- Durable non-conductive “C” channel side rails in high visibility safety yellow
- Wide aluminum platform with extra-thick brackets for strength and durability
- Wide 3” slip-resistant aluminium steps for safe climbing
- Reinforced with zinc coated steel diagonal braces on the front of every other step providing extra rigidity
- Heavy duty resistant safety shoes
- Available in sizes of 3’ 4’, 6’, 8’ & 10’





1 Wide aluminium platform

2 J-spreader with hand grip for easy one-handed carry & close

3 Slip resistant safety shoes



## SPECIFICATIONS

Approx

Model No.	Size		Height of Platform		Width		Spread		Maximum Reach	
	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.
P5403	1.52	5	0.90	3	0.60	2.00	0.90	2.95	2.74	9
P5404	1.82	6	1.20	4	0.63	2.06	1.10	3.61	3.04	10
P5406	2.43	8	0.71	6	0.72	2.36	1.40	4.60	3.65	12
P5408	3.04	10	2.40	8	0.80	2.62	1.70	5.60	4.26	14
P5410	3.65	12	3.00	10	0.88	3.00	2.00	6.60	4.80	16

# FRPT5400

## Series

300 lbs Type IA

Fiberglass 2-way Ladder

**LIBERTI**<sup>®</sup>  
L A D D E R S



## Heavy Duty Fiberglass 2-way Step Ladder

- Durable non-conductive “C” channel side rails in high visibility safety yellow
- Wide aluminum top with extra-thick brackets for strength and durability
- Wide 3” slip resistant aluminium steps for safe climbing
- Reinforced with zinc coated steel diagonal braces on the front of every other step providing extra rigidity
- Heavy duty resistant safety shoes
- Available in sizes of 4’, 6’, 8’ & 10’

Wide aluminium top

1

J-spreader with hand grip for easy one-handed carry & close

2

Slip resistant safety shoes

3



## SPECIFICATIONS

Approx

Model No.	Size		Width		Spread		Maximum Reach	
	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.	Mts.	Ft.
T5404	1.22	4	0.55	1.80	0.90	3.00	2.43	8
T5406	1.82	6	0.62	2.00	1.28	4.20	3.04	10
T5408	2.43	8	0.72	2.40	1.62	5.30	3.65	12
T5410	3.04	10	0.80	2.60	1.98	6.50	4.26	14

Our competencies  
our pride



A globally benchmarked manufacturing plant is what you have with us. Replicating internationally acclaimed standards of precision, research and work ethic, our plant is self-contained and comes with the inherent capabilities of meeting small to large requirements.

## 1. Plant with an advantage

Sagar Asia has set up manufacturing operations for its Access Technology Equipment in Hyderabad, thus taking the prime mover advantage in its sector. The plant is located in a campus of over 2 acre with machinery that replicates German precision.

Manpower has been similarly trained to stay abreast of rigid standards and specifications. To meet ever increasing and new requirements of a growing economy, a Research & Development department keeps working to come up with innovative solutions for the world. A Design Centre has also been set up for development and design of products to meet customized needs.

## 2. Integration

Understanding needs, designing products with relevance, listening to customers, sourcing the best raw material, manufacturing to international standards of production and quality control. This is our concept of 'integration'. Bringing together all that is needed to make access safe, easy and smart.

## 3. International standards

No standards, no way. A simple philosophy at work at Sagar Asia. Our products subscribe to both European and US standards. OSHA and ANSI adherence goes hand-in-hand with our ISO certified plant.

## 4. Quality all the way

We use high quality, structural high grade aluminum alloy. Our products are always harder, resilient and safer. Our welding technology Gas Tungsten Arc welding (GTAW) ensures superior quality fabrication resulting in unequalled strength, safety and durability of the finished product. All our products carry an unconditional guarantee against faulty workmanship – this includes welding, flanging components etc.







## Liberti Ladders & Access Solutions Inc

285, West Ceder Street, Norwalk,  
CT 06850, USA.

M: +01 203 945 9615

Email: sales@libertiladders.com

[www.libertiladders.com](http://www.libertiladders.com)

Business Associates & Partners in India



Safety Redefined

## Sagar Asia Private Limited

201, Mayfair, S.P. Road  
Secunderabad- 500 003, Telangana, India

T +91 40 27728500 | F +91 40 27728529

M 9701000971, 8886330000

email: info@sagarasia.com

[www.sagarasia.com](http://www.sagarasia.com)





# LIBERTI®

L A D D E R S

## Sagar Asia Private Limited

Liberti Ladders & Access Solutions Inc

285, West Ceder Street, Norwalk, CT 06850, USA

M: +01 203 945 9615

Email: sales@libertiladders.com



## Sagar Asia Private Limited

201, Mayfair, S.P. Road

Secunderabad- 500 003, Telangana, India

T +91 40 27728500 | F +91 40 27728529

M 9701000971, 8886330000

email: info@sagarasia.com

[www.sagarasia.com](http://www.sagarasia.com)



